



Mission Statement:


The Tenmile Lakes' Basin Partnership is a community-based cooperative endeavor involving industry, local citizens, natural resource agencies, Native American tribes, and conservation groups to protect, encourage and enhance the use of natural resources principles that promote ecosystem health and diversity.

Through community involvement and education, this partnership supports management of all land and water in a manner that sustains natural resources and that, in turn, will contribute to environmental vitality and community betterment within the Tenmile Lakes' basin—From the farthest reaches of the watershed to the Pacific.

A scenic view of a lush green valley. In the foreground, a wooden fence with two horizontal rails and a wire mesh bottom runs across the frame. The middle ground is filled with tall green grass and various shrubs. In the background, a dense forest of tall evergreen trees covers a hillside under a clear sky.

Tenmile Lakes' Basin Partnership

2011 ANNUAL PRESENTATION



DON'T EVER GIVE UP!

Tonight's Presentation

Includes:

Funding

Projects

Monitoring


Outreach

Future Projects


Unique Projects

7/28/2010
Johnson Cr.
Erosion

TLBP 2011 Grants Submitted



TLBP FY' 2011 Funding per Project Type



2011' PROJECTS

Monson Bridge #1

Monson Bridge #2

Swanson Bridge #6

Swanson Fencing

Tenmile Riparian

Enhancement









**October 18, 2010 OWEB Grant Cycle
Southwest Oregon Review Team (Region 2)**

Application No.: 211-2028 **Project Type:** Restoration
Project Name: Monson Fish Passage and Sediment Abatement
Applicant: Tenmile Lakes Basin Partnership
Basin: SOUTH COAST **County:** Coos
OWEB Request: \$71,689.00 **Total Cost:** \$92,128.00

Ecosystem Process and Function

The project will benefit watershed function and structure through the improvement of access to habitat for coho, steelhead and cutthroat trout as well as improve water quality conditions through the project reach and below.

Regional Review Team Recommendation to Staff

Fund with Conditions. The applicant must justify Project Manager time and provide for additional project qualified inspection.

Regional Review Team Priority

12 of 13

Distribution of Recommended Award Amounts

Capital Amount	EM Portion	PE Portion	Non-Capital Amount
\$71,689.00			

Staff Follow-Up to the Regional Team Review

Staff followed up with the applicant about the RRT concerns. The applicant provided information on project inspections. A project committee, which includes a state certified engineer, inspects projects prior to, during and after project completion. The applicant provided the names of the project committee and the name of the engineer with documentation confirming state certification. The applicant provided additional detail on the Project Manager (PM) work activities and the basis for the timeline. PM work activities and time estimated for the project are based on experience from construction of over 40 other bridge structures in the watershed over the last ten years. These tasks and timelines cover activities ranging from pre-implementation and permitting, contracting and material procurement, project implementation and oversight, to project close out and reporting. The applicant provided enough documentation from similar projects along with workplan information to justify the time period the PM will work.

Staff Recommendation to the Board

Fund.

Staff Recommended Award

Capital Amount	EM Portion	PE Portion	Non-Capital Amount
\$71,689.00			

Total Recommended Board Award

\$71,689.00

**Oregon Watershed Enhancement Board
Region 2 (Southwest Oregon) Review Team
Evaluation for April 19, 2010 Applications**

APPLICATION NO.: 211-2002	PROJECT TYPE: Restoration
PROJECT NAME: Tenmile Lakes Watershed Riparian Enhancement 2011	
APPLICANT: Tenmile Lakes Basin Partnership	
Basin: SOUTH COAST	COUNTY: Coos
OWEB FUNDS REQUESTED: \$41,615	TOTAL COST: \$59,814

APPLICATION DESCRIPTION:

The project proposes to implement riparian restoration activities on agricultural stream reaches within the Big, Johnson, Wilkins and Adams Creek sub-basins of the Tenmile Lakes watershed, along with four riparian segments along rural Coos County Highways, for a total of 26,400 linear feet of riparian enhancement. All proposed project components and locations have been identified as high priorities within the Tenmile Lakes Action Plan (2006) and Tenmile Lakes TMDL. Agricultural land-use practices have impacted riparian areas by channelizing stream reaches and allowing access by livestock to riparian areas. This has resulted in reduced vegetation and actively eroding banks. The project builds on similar riparian protection, sediment abatement and fish passage restoration activities completed on this stream. Project sites have been identified within the Tenmile Lakes Watershed Assessment as having less than 50% shade values and increased stream bank erosion. Planting actions will follow approved, site-specific planting prescriptions for each location.

The project will contain both plant establishment work on existing sites and development and planting of sites identified through assessment work. The project will first remove non-native species through hand and mechanical means. Preventive predation measures will be installed on previous planting as needed and on new plantings. 4,045 native conifer and deciduous seedlings will be planted in identified locations protected by livestock exclusion fencing. Plantings will be dictated by planting plans developed for each site.

Project partners providing project match include participating landowners, Coos County, Eel-Tenmile STEP volunteers and Tenmile Lakes' Basin Partnership. OWEB funds would be used for pre-implementation, project management, travel, contracted services, supplies and materials, and fiscal administration.


REGIONAL TEAM REVIEW:

The RRT appreciated the improved quality of the application and wanted to let the applicant know that the quality of the application writing and presentation helped in review of the proposal. Planting prescriptions are good. The project is a mix of plant establishment work and new riparian plantings. The establishment work will help address issues with non-native blackberry that will help the survival success of the plantings. It is important to make sure the investment in riparian restoration is successful and this work will help to make it successful. The previous planting areas have suffered some elk browse damage. The applicant has adapted to meet this and is using more spruce because they have learned elk don't like to eat them. The planting plan for new riparian areas to be planted looks good. The Tenmile Lakes watershed has some critical water quality issues associated with the lake, and restoration of riparian areas along the streams which feed it will help the situation. This watershed is an important one for coho production, and project components will help protect and buffer those important stream habitats. The

Oregon State Board of Examiners
for Engineering and Land Surveying


HARVEY ALLEN WILCOX

Registered As	Cert. #	Status	Expires
Professional Land Surveyor	02244PLS	Active	06/30/2012
Professional Engineer	15663PE	Active	06/30/2012
Certified Water Right Examiner	142CWRE	Active	06/30/2012



MONSON BRIDGE #1 SIDE VIEW SCALE 1"=7'

NOTE: FINISHED GRADE OF BRIDGE SHALL BE 24" ABOVE THE LOWEST ADJACENT CREEK BANK.



NOTE: BOTTOM OF ROCK SHALL BE AT OR BELOW THE CREEK BED. THIS AND FINISHED GRADE OF BRIDGE SHALL CONTROL ROCK DEPTH.



RENEWAL 6/30/12

DISCLAIMER: THIS ENGINEERING DESIGN IS FOR THE ABUTMENTS ONLY. THE CONCRETE SLABS ARE USED SLABS SUPPLIED BY TLBP AND I AM NOT QUALIFIED TO EVALUATE USED SLABS.

HARVEY WILCOX ENGINEERING


69968 HWY 101
NORTH BEND, OR 97459

PH: (541) 759-4467

MONSON BRIDGE #2

END VIEW

SCALE 1"=5'



RENEWAL 6/30/12

DISCLAIMER: THIS ENGINEERING DESIGN IS FOR THE ABUTMENTS ONLY. THE CONCRETE SLABS ARE USED SLABS SUPPLIED BY TLBP AND I AM NOT QUALIFIED TO EVALUATE USED SLABS.

HARVEY WILCOX ENGINEERING


69968 HWY 101
NORTH BEND, OR 97459

PH: (541) 759-4467

SWANSON BRIDGE #6

SIDE VIEW

SCALE 1"=6'





TE NM I L E
CORPS OF ENGINEERS, PORTLAND DISTRICT
EUGENE FIELD OFFICE
1600 EXECUTIVE PARKWAY, SUITE 210
EUGENE, OREGON 97401-2156

REPLY TO
ATTENTION OF:

August 13, 2009

Operations Division
Regulatory Branch
Corps No. NWP-2009-100

Mr. Michael Mader
Tenmile Lakes Basin Partnership
P.O. Box L
Lakeside, Oregon 97449-0809

Dear Mr. Mader:

The U.S. Army Corps of Engineers has received Tenmile Lakes Basin Partnership's (Tenmile) permit application requesting Department of the Army authorization to remove a fish passage barrier in Big, Shutter, Adams, Johnson, Blacks, Wilkins, Benson, and Noble Creeks. The project is located near Lakeside, Coos and Douglas Counties, Oregon. The sites are in Sections 1, 2, 6, 8, 10, 11, 14, 15, 16, 18, 21, 22, 25, 26, 27, 28, 29, 30, 32, 33, 34, 36 of Township 23 South, Range 12 West and Sections 28, 34 of Township 22 South, Range 12 West.

Tenmile will remove existing corrugated metal pipe culverts. Thirteen bridges measuring from 20 to 40 feet long and 12 feet wide will be installed. Eight bridges (numbered 1-8 (Enclosure 1) to be installed during the 2009 in-water work window and five bridges (numbered 9-13 Enclosure 1) to be installed during the 2010 in-water work window. Riprap shall be placed below the ordinary high water to stabilize the abutments. Approximately 93 culverts, measuring 18 inches to 42 inches in diameter and 20 feet to 70 feet in length will be installed (Enclosure 1). The projects are shown on the enclosed drawings (Enclosure 2).

This letter verifies that Tenmile's project is authorized under the terms and limitations of Nationwide Permit (NWP) No. 14 Linear Transportation. Tenmile's activities must be conducted in accordance with the conditions found in NWP Regional Conditions, Portland District (Enclosure 3), NWP General Conditions (Enclosure 4), Oregon Department of Environmental Quality (DEQ) 401 Water Quality Compliance Conditions (Enclosure 5), Oregon Department of Land Conservation and Development (DLCD) Coastal Zone Management Concurrence Conditions (Enclosure 6), and the project specific conditions lettered (a) through (j) below. **Failure to comply with any of the listed conditions could result in the Corps initiating an enforcement action.**

a. Permittee shall notify the Regulatory Branch with the date activities in waters of the United States are scheduled to begin. Notification shall be sent by email to cenwp.notify@usace.army.mil or mailed to the following address:

Department of State Lands
775 Summer Street NE, Suite 100
Salem, OR 97301-1279
☎ 503-986-5200

Permit No.:	41997-RF
Permit Type:	General Permit
Waterway:	Tenmile Lakes Watershed
County:	Coos and Douglas
Expiration Date:	April 30, 2014
Corps No.:	NA

TENMILE LAKES BASIN PARTNERSHIP-GENERAL PERMIT

IS AUTHORIZED IN ACCORDANCE WITH ORS 196.800 TO 196.990 TO PERFORM THE OPERATIONS DESCRIBED IN THE ATTACHED COPY OF THE APPLICATION, SUBJECT TO THE SPECIAL CONDITIONS LISTED ON ATTACHMENT A AND TO THE FOLLOWING GENERAL CONDITIONS:

1. This permit does not authorize trespass on the lands of others. The permit holder shall obtain all necessary access permits or rights-of-way before entering lands owned by another.
2. This permit does not authorize any work that is not in compliance with local zoning or other local, state, or federal regulation pertaining to the operations authorized by this permit. The permit holder is responsible for obtaining the necessary approvals and permits before proceeding under this permit.
3. All work done under this permit must comply with Oregon Administrative Rules, Chapter 340; Standards of Quality for Public Waters of Oregon. Specific water quality provisions for this project are set forth on Attachment A.
4. Violations of the terms and conditions of this permit are subject to administrative and/or legal action, which may result in revocation of the permit or damages. The permit holder is responsible for the activities of all contractors or other operators involved in work done at the site or under this permit.
5. Employees of the Department of State Lands and all duly authorized representatives of the Director shall be permitted access to the project area at all reasonable times for the purpose of inspecting work performed under this permit.
6. Any permit holder who objects to the conditions of this permit may request a hearing from the Director, in writing, within twenty-one (21) calendar days of the date this permit was issued.
7. In issuing this permit, the Department of State Lands makes no representation regarding the quality or adequacy of the permitted project design, materials, construction, or maintenance, except to approve the project's design and materials, as set forth in the permit application, as satisfying the resource protection, scenic, safety, recreation, and public access requirements of ORS Chapters 196, 390 and related administrative rules.
8. Permittee shall defend and hold harmless the State of Oregon, and its officers, agents, and employees from any claim, suit, or action for property damage or personal injury or death arising out of the design, material, construction, or maintenance of the permitted improvements.
9. Authorization from the U.S. Army Corps of Engineers may also be required.

NOTICE: If removal is from state-owned submerged and submersible land, the applicant must comply with leasing and royalty provisions of ORS 274.530. If the project involves creation of new lands by filling on state-owned submerged or submersible lands, you must comply with ORS 274.905 - 274.940. This permit does not relieve the permittee of an obligation to secure appropriate leases from the Department of State Lands, to conduct activities on state-owned submerged or submersible lands. Failure to comply with these requirements may result in civil or criminal liability. For more information about these requirements, please contact the Department of State Lands, 503-986-5200.

Lori Warner-Dickason, W Region Manager
Wetlands & Waterways Conservation Div
Oregon Department of State Lands


Authorized Signature

April 30, 2009
Date Issued



Coos County Planning Department

Coos County Courthouse Annex, Coquille, Oregon 97423
Mailing Address: 250 N. Baxter, Coos County Courthouse, Coquille, Oregon 97423
Physical Address: 225 N. Adams, Coquille, Oregon
(541) 396-3121 Ext.210
FAX (541) 756-8630 / TDD (800) 735-2900
planning@co.coos.or.us
Patty Evernden, Planning Director

September 2, 2011

Mike Mader,
Ten Mile Lakes' Basin Partnership
PO Box L
Lakeside OR 97449

RE: Monson Bridge Projects Township 23, Range 12, Section 25 Tax Lot 100

Mr. Mader:

After reviewing your project and floodplain information staff has found that this property is consistent with Section 3.2.550 of the Coos County Zoning and Land Development Ordinance (LDO). The information provided also satisfies the floodplain requirements of Section 4.6.230(4) "Other Development".

Therefore, have completed all requirements to be consistent with the LDO and you may proceed. If you need additional signatures on your state or federal permits please deliver or mail them to the Planning Department for processing.

Thank you and if you have any questions about this please contact me at 541-396-3121 ext 210 or planning@co.coos.or.us.

Jill Rolfe, Administrative Planner


Coos County Planning Department

ATTACHMENT B



LAND USE INFORMATION FORM

This information is needed to determine if the proposed project complies with statewide planning goals and is compatible with local comprehensive plans (ORS 197.180). The form must be submitted before OWEB releases project funds. OWEB will release project funds only if the project either is not regulated by, or is compatible with, the local comprehensive plan and zoning ordinance. If a project is regulated by the local comprehensive plan and zoning ordinance, OWEB will void grant agreements for projects the county determines to be incompatible with the local comprehensive plan and zoning ordinance. If the county requires additional local approvals for a project regulated by the local comprehensive plan and zoning ordinance, OWEB will not release project funds until these conditions are satisfied.

1. TO BE COMPLETED BY THE APPLICANT/GRANTEE

Applicant/Grantee Name: Tenmile Lakes Basin Partnership

Project Name: Tenmile Lakes Riparian Enhancement

2. TO BE COMPLETED BY CITY/COUNTY OR TRIBAL PLANNING OFFICIAL

Complete this section only after section 1, above, has been completed. Check the box below that applies:

- This project is not regulated by the local comprehensive plan and zoning ordinance.
- This project has been reviewed and is compatible with the local comprehensive plan and zoning ordinance.
- This project has been reviewed and is not compatible with the local comprehensive plan and zoning ordinance.
- Compatibility of this project with the local planning ordinance cannot be determined until the following local approvals are obtained:
 - Conditional Use Permit
 - Development Permit
 - Plan Amendment
 - Zone Change
 - Other

An application has ___ has not ___ been made for the local approvals checked above.

Patty Evernden
* Signature of Local Official

6-7-11
Date

Print Name: Patty EVERNDEN

Phone: 541-396-3181 X-210

Title: Planning Director

Email: planning@Co.Cos.Or.US

**Must be an authorized signature from your local City/County or Tribal Planning Department, regardless of which box is checked above.*

**PUBLIC NOTICE
REQUEST FOR PROPOSALS
FOR BRIDGE and CULVERT
CONSTRUCTION AND
PLACEMENT**

The Tenmile Lakes Basin Partnership and the City of Lakeside is seeking proposals for the construction and placement of 1 bridge and 5 culverts within Templeton Valley of the Tenmile Watershed.

Proposal and Project information is available at Lakeside City Hall, (Front Desk), 915 North Lake road, Lakeside, OR. Phone (541) 759-3011.

Closing date is Monday, June 6th, 2011 at 4:30 PM. The bid will be awarded by the Lakeside City Council at the June 9th council meeting.

A project site tour with the interested bidders is scheduled for Friday, May 27th 2011. Please notify us if you wish to participate.

For more information contact Mike Mader, Projects Manager, (541) 759-2414.

PUBLISHED: The World - May 12, 13, and 14, 2011 (ID- 20183923)

Monson Bridges Location Map

T23s R12w Sec 26/27

Acres = 400

Property Owner: Brad Monson

Tenmile Lakes Watershed 

Coos County 

Monson Bridge Site #1
SC #285

Monson Bridge Site #2
SC #286

Templeton Rd

Image State of Oregon


Image © 2010 DigitalGlobe
© 2010 Google

©2010 Google

10 T 411935.69 m E 4821816.48 m N elev 36 ft

Eye alt 3867 ft 

SWANSON SEDIMENT ABATEMENT SITE LOCATION MAP T 23S R12W Sec 25









MONSON

#1





DEERE















MONSON #1

Project Cost = 32,287.00

Cubic yards removed = ~100

**Improved Fisheries access =
8 miles**



MONSON #2











**TENMILE LAKES BASIN PARTNERSHIP
PROJECT COMPLETION FORM**

Grant Contract Number:	OWEB #211-2028
Project Name:	Monson Bridges 1 & 2
Project Site:	Monson Bridge #2
Project Site Landowner:	Brad Monson
TLBP Project Manager:	Michael Mader
TLBP Project Engineer:	Harvey Wilcox
Project Contractor:	Jarvis Roads


This form is to ensure all parties, Site Landowner, the Project Engineer, and the TLBP Project Manager, agreed that the above listed Watershed Enhancement Project is completed to all parties satisfaction.



Project Site Landowner

11/11/2011


Date



TLBP Project Manager

10/26/11


Date



TLBP Project Engineer

10/26/11

Date



Contractor

11/9/11

Date



MONSON #2

**Total Project Cost =
\$32,287.00**

**Cubic yards removed =
~100**

**Improved Fisheries access
= ~7.5 miles**



SWANSON SEDIMENT
ABATEMENT #2

Swanson Bridge #6
Ditch Relief Culverts 1-4
Streambank Stabilization
Fencing



Ditch Relief Site #1

















DEERE

230LC












**TENMILE LAKES BASIN PARTNERSHIP
PROJECT COMPLETION FORM**

Grant Contract Number:	OWEB #211-2003
Project Name:	Swanson Sediment Abatement #2
Project Site:	Swanson Bridge #6
Project Site Landowner:	Richard Swanson
TLBP Project Manager:	Michael Mader
TLBP Project Engineer:	Harvey Wilcox
Project Contractor:	Jarvis Roads


This form is to ensure all parties, Site Landowner, the Project Engineer, and the TLBP Project Manager, agreed that the above listed Watershed Enhancement Project is completed to all parties satisfaction.


Project Site Landowner


10-26-11
Date


TLBP Project Manager

10/26/11
Date


TLBP Project Engineer

10/26/11
Date


Contractor

11/9/11
Date

SWANSON #6

Cubic yards removed = ~27
Improved Fisheries access =
~1 mile























































**Swanson Sediment
Abatement
Total Grant Funds =
\$127,414.00**

Tenmile Riparian Enhancement















BIG CREEK



**ROBERTSON
UPPER**



**ROBERTSON
LOWER**



HOUSE GULCH



MIDDLE
JOHNSON
CREEK











Tenmile Riparian
Enhancement
Current costs =
\$21,752.00




A man wearing a green raincoat, a tan cap, and sunglasses is on a boat. He is holding a yellow rope and a grey hose. The word "MONITORING" is overlaid in white text across the center of the image. The background shows a body of water and a forested shoreline.

MONITORING





Tenmile Lake Monthly Mean Elevations



Harmful Algal Bloom Screening



October 17, 2011 OWEB Grant Cycle Southwest Oregon Review Team (Region 2)

Application No.:	212-2033	Project Type:	Monitoring
Project Name:	Tenmile Lakes Watershed Monitoring		
Applicant:	Tenmile Lakes Basin Partnership		
Basin:	SOUTH COAST	County:	Coos
OWEB Request:	\$124,100.00	Total Cost:	\$194,130.00

Application Description

Tenmile Lake's water quality is declining as a result of nuisance weeds and toxic algae, dramatic increases in sedimentation, and land-use activities. A TMDL and associated Water Quality Management Plan (WQMP) was developed and approved in 2006. The approved Tenmile Watershed Water Quality Assurance Project Plan (TLBP 2005) and WQMP, lists the baseline and trend water quality monitoring needs as well as data analysis that project partners are seeking OWEB funding to support. Monitoring priorities identified are lake water column nutrients and chlorophyll a, algae composition, and tributary sediment delivery. In addition, funding will implement delta building, invasive species, effectiveness monitoring of 29 watershed enhancement projects and establishment of a Coastal Lakes Algae toxin lab.

The first goal of this multifaceted project is to continue the monitoring components within the 2005 Tenmile Watershed Quality Assurance Project Plan (QAPP) that was developed in coordination with ODEQ, by taking a more strategic approach with our effectiveness monitoring. The second goal is to focus resources towards data analysis and interpretation of existing data sets as recommended by the DEQ and our reporting partners. Monitoring will involve: water quality, lake algae and nutrient, delta building, winter storm turbidity, invasive species presence/absence, and post-project effectiveness. Tenmile Lakes Basin Partnership (TLBP) has removed stream temperature monitoring data collection and will instead focus on stream temperature data analysis. TLBP will also significantly reduce the number of project effectiveness sites. The number of sites that will be monitored for effectiveness will have a change in the monitoring frequency of riparian sites, from twice a year to once every 5 years, to reflect the longer duration that these sites need to show significant changes.

Project partners include Tenmile Lakes lakeside lakefront property owners, M&D Environmental, South Slough National Estuarine Research Reserve, DSL, USFS, BLM, DEQ and the City of Lakeside. OWEB funds will be used for project management, staff, contracted services, travel, supplies and materials and fiscal administration.

REVIEW PROCESS

Regional Review Team Evaluation

The RRT found the application to be well thought out. It demonstrated good strong partnerships and good lines of communication. The RRT was happy to see the applicant moving towards doing more data analysis. The RRT felt looking at land use is a good focus for the applicant and partners. The project has strong direct ties to TMDL implementation. Many different agencies are using the data from this program.

The RRT had discussions about the frequency of monitoring for algae and invasive species. The discussion ended up determining that the frequencies proposed were sufficient. The RRT also wanted to determine the feasibility of Oregon Health Association helping to support the toxin monitoring. The RRT was confused by the toxin lab discussion, there seemed to be some overlap and it was unclear if the applicant had their own lab or if they were referring to the lab at the South Slough NEER and confused the issue in their referencing

WATERSHED OUTREACH

LAKESIDE LIBRARY SUMMER PROGRAM



Annual Barbecue



Tugman Park Kids Free Fishing Day





**“BEST OF THE CREEK”
WINTER STEELHEAD DERBY**

UMPQUA FLYFISHING EXPO



LAKE TOURS



Welcome to Tenmile Lakes Watershed - Windows Internet Explorer

http://tlbp.presys.com/

File Edit View Favorites Tools Help

Canon Easy-WebPrint Print High Speed Print Preview Options View Print List

Google screen shot Go 483 blocked Check AutoLink AutoFill Send to screen Settings

Welcome to Tenmile Lakes Watershed

- Home
- News
- Projects
- Lake Information
- Employees
- Maps
- Links

Welcome

The Tenmile Lakes Basin Partnership is a balanced representation of groups interested in the Tenmile Watershed. The main focus of the Partnership is to improve the water quality in the basin for the residents as well as the fish and wildlife that live within our Watershed.

[What is the Tenmile Watershed?](#)

[Our Mission](#)

Sponsors



Done

Internet 100%

start Jay's 2007 presentation 3 Windows Explorer Microsoft FrontPage ... Welcome to Tenmile L... 3:27 PM

FUTURE PROJECTS

12/29/08
Adams Cr.
Bridge #1
M/F







PROPOSED ADAMS CREEK BRIDGE

SIDE VIEW

SCALE 1"=6'



PROPOSED ADAMS CREEK BRIDGE
PLAN VIEW
SCALE 1"=5'




COPY

COPY

TENMILE WATERSHED UNIQUE PROJECTS

PROJECT
LOCATION



LOCATION MAP

NOT TO SCALE


DRAWING INDEX

- | | |
|--------------------------------|------------------------------------|
| 1. TITLE SHEET | 5. BOAT WASH STATION PLAN |
| 2. EXISTING SITE PLAN | 6. BOAT WASH STATION PROFILE |
| 3. PROPOSED SITE PLAN | 7. BOAT WASH STATION CROSS SECTION |
| 4. DETAILED PROPOSED SITE PLAN | 8. UTILITY PLAN |


FOR CHAMBERS ONLY

DO NOT REMOVE

COPY




VICINITY MAP



*BOAT WASH STATION CONSTRUCTION
AT TENMILE LAKE COUNTY PARK, ON TENMILE LAKE
FOR THE COOS COUNTY PARKS DEPARTMENT*

CONCEPTUAL
FOR REVIEW & COMMENT

DATE	BY
APPROVED: FACILITIES MANAGER	
PREP. CHECK BY: R. LANHAM	
DESIGNED BY: R. LANHAM	
DATE: 6/10/6/11	
TITLE SHEET AT TENMILE LAKE COUNTY PARK, ON TENMILE LAKE FOR THE COOS COUNTY PARKS DEPARTMENT	
OREGON STATE MARINE BOARD	
1 SHEET	8 OF
BOAT WASH 1 DRAWING NO.	



BOAT WASH STATION PROFILE



CONCEPTUAL
FOR REVIEW & COMMENT

DATE	REVISION	\$	BY

APPROVED FACILITIES MANAGER	DATE
FINAL CHECK BY	DATE
DESIGNED BY	DATE
DRAWN BY	DATE

ENGINEER




BOAT WASH STATION PROFILE
AT TENMILE LAKE COUNTY PARKS DEPARTMENT
FOR THE COOS COUNTY PARKS DEPARTMENT

OREGON STATE MARINE BOARD


66	08
SHEET	OF
BOAT WASH 6	
DRAWING NO.	

1/25/05

FROM
WATER-EXISTING
SPRINKLER
SYSTEM
ELECTRIC-BORE TOWARDS
LEACH FIELD-
RESTROOMS



200'



OSPREY POINT RV RESORT
1505 North Lake Road
Lakeside OR 97449
1-541-759-2901
TENMILE LAKE

RE-LOCATE
HORSE SHOE PITS
- AN AREA WITH
CLOSER PARKING

October 17, 2011 OWEB Grant Cycle Southwest Oregon Review Team (Region 2)

Application No.:	212-2032	Project Type:	Restoration
Project Name:	Tenmile Lakes Boat/Trailer Spray-off Stations		
Applicant:	Tenmile Lakes Basin Partnership		
Basin:	SOUTH COAST	County:	Coos
OWEB Request:	\$43,280.00	Total Cost:	\$115,365.00

Application Description

An inventory for aquatic plant species in coastal lakes conducted in 2003-2005 revealed a high degree of association between the number of invasive species present in a water body and whether that water body had a boat ramp. Additionally, although many lakes with boat ramps already contain one or two species of invasive aquatic plants, they often do not contain the same species. Tenmile Lakes is a heavily used water body. This means there is still potential for spread of invasive species just among the larger lakes of the central Oregon coast. Add to this, the potential for additional species such as quagga/zebra mussels from outside the area, and the impacts to native species could be tremendous.

This proposal is to construct two permanent, two-bay boat wash stations at Tenmile Lake's Coos County Park in the City of Lakeside, Oregon. The applicant will utilize Oregon State Marine Board engineering to complete stations. The two stations would consist of a concrete and asphalt drain pad, low pressure hot water supply, refuse (weed) disposal container, and signage. Water and electrical connections would be made to existing park facilities. Effluent would be processed through an independent drain field.

Initial approach utilized only one spray-off station for boaters entering Tenmile Lakes. A second station was added for boats exiting park to prevent Tenmile Lake nuisance species being transferred to other Oregon water bodies. In addition, the original OSMB budget and diagrams planned in the future for stations to have hot water. Research shows that 140 degree water is necessary to kill mussel species. Tankless water heaters have been added to this budget. No similar project exists in Oregon. The mostly likely comparable project is the Hauser Lake Eurasian watermilfoil rinse station in Idaho. The importance of this project is that it will be the first of its kind in Oregon and can be utilized as a pilot project for the state to determine effectiveness of this type of project.

Project Partners providing project match include USFS and Coos County Parks Department. OWEB funds would be used for contracted services, supplies and materials and fiscal management.

REVIEW PROCESS

Regional Review Team Evaluation

Invasive species are a huge concern in this water quality limited lake system which sees a high level of recreational use and is an important coho system. Weed management is part of the water quality plan that has been developed for the lake. The stations will be located at the only public ramp on the lake. The RRT discussed the source of water for the spray-off stations and if it complied with Oregon water law. The RRT determined through discussion that the use of the water for spray-off stations was consistent with the water right. It was noted that if they generate more than 2500 gallons of water per day at the stations, they will need a permit. While ODFW was not listed as a partner in the project, ODFW is very supportive of the project and appreciated that the water being used is hot water. Since the proposed spray-off stations are a voluntary measure and not a regulatory requirement, it is eligible for OWEB funding. While nothing will probably stop the eventual introduction of invasive species into a system, this kind of effort will definitely slow it down, benefit coho in the system, and it is an important measure to take. It was noted that there is significant USFS

RAC match funding tied to this project and this could be lost if not funded. Reviewers wondered if there was any way to reduce the cost of the project to OWEB.

Ecosystem Process and Function

The project would help protect from introduction of invasive species which harm natural ecosystem processes.

Regional Review Team Recommendation to Staff

Fund.

Regional Review Team Priority

10 of 12

Distribution of Recommended Award Amounts

Recommended Amount	EM Portion	PE Portion
\$43,280.00		

Staff Recommendation to the Board

Do Not Fund; falls below staff-recommended funding line.


Staff Recommended Award

Recommended Amount	EM Portion	PE Portion


Total Recommended Board Award

\$ 0.00


Tenmile Lakes Water Quality Management Planning



HABITAT STRUCTURES




TLBP PROPOSED FISH HABITAT STRUCTURE
ON BIG CREEK
SEASONAL ONLY (FREE FLOWING IN WINTER)




Big Creek Meadow Resource Group



Canal Dredging Project



EXISTING SITE & DEMOLITION PLAN



	MEAN SEA LEVEL (MSL)
100 YEAR FLOOD *	20.20'
EXTREME HIGH WATER **	19.30'
ORDINARY HIGH WATER ** (OHW)	12.28'
ORDINARY LOW WATER ** (OLW)	6.80'
EXTREME LOW WATER **	5.67'

* FROM FEMA MAP
 ** FROM A 38 YEAR PERIOD OF RECORD

FOR REVIEW ONLY
 NOT FOR CONSTRUCTION

DATE: _____

APPROVED PAGE FILES MANAGER: _____

FINAL CHECK BY: S. JANSSEN

DESIGNED BY: S. JANSSEN

DATE: 10/30/08

PROJECT NO.: _____

DATE: _____

ENGINEER: _____

OREGON COUNTY HEALTH SAFETY MARITIME

EXISTING SITE & DEMOLITION PLAN
 AT TENMILE CANAL
 FOR THE COOS COUNTY PARKS DEPARTMENT

OREGON STATE MARINE BOARD

2 SHEET 8 OF

OREGON STATE MARINE BOARD

A dense, vibrant green carpet of Parrot Feather (Myriophyllum heterophyllum) covering a water surface. The plant consists of numerous small, feathery, fan-shaped leaves that create a textured, layered appearance. The color is a bright, healthy green, and the plants are packed closely together, filling the entire frame.

Parrot Feather

A dense thicket of Brazilian Waterweed (Egeria densa) floating on a dark blue water surface. The plant has long, thin, dark green stems that rise vertically from the water. The leaves are small, narrow, and pointed, arranged in a dense, overlapping pattern. The water is dark and reflects the surrounding environment, with some white flowers visible among the foliage.

Brazilian Waterweed

Reducing your impacts to this area will keep your shoreline stable and minimize negative impacts to the lakes. Viewing the lakes from your property often seems to conflict with maintaining



healthy riparian zones. But with help lakefront owners can often find a compromise in planning lakefront landscaping that protects the lakes as well as providing beautiful views. Impacts to these areas below 12.21 msl requires contacting DSL for authorization and falling of trees may require a permit from the Oregon Department of Forestry.

When developing or improving your property some riparian friendly solutions include: 1) Minimize use of non-native shrubs, 2) Develop a filter strip of native plants above the high water mark. 3) Minimize use of fertilizers and herbicides.

For more information and assistance please contact:

Coos Bay ODF	541.269.4136
Department of State Lands	541.378.3805
Tenmile Lakes Basin Partnership	541.759.2414

LAKEFRONT EROSION

Whether building a new three bedroom on Lindross Arm or just adding an out building to an existing home on Big Creek Arm, this is where "lake friendly" planning should begin. The Tenmile Lakes are filling in with sediment 1000 times faster than before the Tenmile area was settled. Development of lakefront lots are contributing to this problem. With a little common sense and basic understanding of your property, new homes and additions may be completed with minimal impacts to the lakes while achieving your goals for your lakefront property. Some common "lake friendly" recommendations include: 1) Ensure you have all permits. 2) If not doing the work yourself, hire a qualified contractor familiar with Tenmile issues like steep ground and drainage issues. 3) Have and implement an **Erosion Control Plan** that includes silt fences and seeding exposed soils with grass mix. For more information and assistance please contact:



Coos Bay ODEQ	541.269.2721
Tenmile Lakes Basin Partnership	541.759.2414
Department of State Lands	541.378.3805

TENMILE LAKES STEWARDSHIP

A GUIDE FOR LAKEFRONT PROPERTY OWNERS

We sure are lucky! We own lakefront property along the shorelines of beautiful North and South Tenmile Lakes. With this ownership comes a responsibility to ourselves and other lake users to do what we can to maintain the quality of the lakes.

Sometimes this is a tough compromise. For example, clearing shoreline vegetation to increase the view can impact slope stability and damage the filter strip that is important in reducing sediment inputs into the lakes which in turn, affects weed and algae growth.

This brochure is your guide to taking proper care of your lakefront property and the Lakes. It will give you some general information about Tenmile, discuss important issues with owning lakefront property, describe actions that need authorization or permits, and provide specific information that you need to protect our Lakes so we can continue to enjoy them in the future.



Pre-1974 Septic System Survey
Worked with county health
department to inspect 26 lakefront
homes in 2006 and 2007. Only 8
were determined to be functioning
properly.



Oregon DEQ Onsite Advisory Committee

Final Report of Recommended Changes to Rules Governing Onsite Systems

For
Oregon Department of Environmental Quality
Onsite Wastewater Management Program

February 8, 2010

A photograph of a stream with a rainbow trout swimming in the water over a rocky riverbed. The text is overlaid on the image.

**TLBP WANTS TO CREDIT OUR
PROJECT PARTNERS**

**OREGON WATERSHED
ENHANCEMENT BOARD
CITY OF LAKESIDE
OREGON DEPARTMENT OF
ENVIRONMENTAL QUALITY
DIVISION OF STATE LANDS
DEPARTMENT OF FISH &
WILDLIFE
JIM LARSEN
BRAD MONSON
DICK SWANSON
MESSERLE and Sons
Mr. HARVEY WILCOX
JARVIS ROADS
Eel~Tenmile S.T.E.P.**